

# Configuring In-Place Legal Hold

Previously, applying a legal hold on an account required that the administrator create a new storage location, export account data to that location, and index the data in order to make it searchable. This data duplication required that additional storage space be allotted specifically for legal cases. In addition, depending on the legal case, restricting access to certain subsets of the exported storage repositories for certain users was not always easy to accomplish. With the new In-Place Legal Hold feature, instead of relying on locations, administrators can simply tag accounts as being on legal hold, and jobs will then ignore all accounts placed on legal hold.

**Note:** You must first enable *Litigation Hold in Exchange* before selecting the *Legal Hold* option in *Netmail Archive*.

## On this page:

- [Enabling In-Place Legal Hold](#)
- [Assigning Case Manager Rights to Users](#)
- [What Users See in Netmail Search](#)
  - [Case Managers](#)
  - [Auditors](#)

## Enabling In-Place Legal Hold

When an account is placed on legal hold, the account is tagged to make sure that it is processed during archiving. All Agents that can delete and/or update content must read the tag before running any jobs. If a tag cannot be read or parsed, the entire account is considered to be on legal hold.

To use In-Place Legal Hold, you must first enable the feature in the Netmail Administration Console. To do so, navigate to the **Archive** Agent, and select the archiving job of your choice. If an archiving job does not exist, you must [create a job](#) . Click the **Criteria** tab. Under **Legal Hold**, place a check mark next to **Use this job to apply Legal Hold**. This option will apply the archiving policy selected for this job to all accounts flagged for legal hold in Netmail Search. If you need to create a new policy, refer to [Policy Planning, Configuration and Management](#).

When you are done, be sure to click **Save**.

netmail Help Support Log Out admin

netmail Platform

- Secure
- Archive
  - Clusters
    - Cluster (10.200.0.136)
      - Agents
        - Archive
          - Sample Archive Job
            - Export
            - Group
            - ILM
            - Index
            - Migration
            - Tracking
            - Storage Management
            - Attachment Management
            - Utility
            - Nodes
            - Policies
- Store
  - Index Server

Job Settings **Criteria** Summary Log Settings Report

**Source Mailbox**

- Archive from Primary Mailbox
- Archive from Archive Mailbox

**Output Destination**

Choose Archive Location: Archives

- Do not Mark as Archived
- Delete items from mailbox after archiving

**Source**

- PST

Note: PST Archiving requires Outlook installed on the node the job will run on.

**Indexing**

- Enable Real-Time Indexing
- Enable indexing of attachments' content

**Retention Criteria**

- Apply Retention Flag  days
- Enable Non-Erasable Format

This setting enables the read-only file attributes on the files representing the archived items. For some storage systems this attribute enables WORM functionality on the archived items, meaning that they cannot be written to or deleted until the expiration date is reached.

**Legal Hold**

- Use this job to apply Legal Hold

Select this option to apply the current archiving policy to all the accounts flagged for Legal Hold in Netmail Search.


**Address Books**

**Important:** At least one job with the **Legal Hold** option selected must be created for each archive location that is under legal hold. This ensures full retention of data within the archive locations under legal hold. If the **Legal Hold** option is not selected, then Case Administrators will not be able to save cases (in Netmail Search) that contain archive locations under legal hold.

## Assigning Case Manager Rights to Users

With In-Place Legal Hold, Netmail Search gains new Case Manager and Auditor roles. The system administrator can assign Case Manager privileges to users within the organization. Case Managers can create, update, and delete cases, enable legal holds, and assign Auditor rights to other users, all from within Netmail Search. Auditors can access Netmail Search to view, tag, comment, and search archived messages placed on legal hold. Auditors may include members of external counsel or internal auditors, for example.


Case Manager rights for Netmail Search are assigned on the **Legal Hold Admin** tab in the Netmail Administration Console. Once rights have been assigned, users will have to the choice to log in to Netmail Search as a Case Manager (to access the user archives to which they have been granted access) or Normal User (to access their own personal archives).



## To assign Case Manager privileges to a user, follow these steps:

1. Click the **Archive** object in the Netmail Administration Console, and then select the **Legal Hold Admin** tab.
2. Under **Case managers**, click **Add** to select the user you want to assign Case Manager privileges to.
3. In the **User List** dialog box that appears, click **List Users** to choose from a list of all of your user accounts. In the left-hand panel, highlight the user account you want to give Case Manager privileges to, and click **Add**. Your selected user will appear in the right-hand pane of the **User List** dialog box.
4. Click **OK** to close the dialog box.
5. The selected user now appears in the **Case managers** list on the **Legal Hold Admin** tab.
6. Once you have selected the user that you want to give case management privileges to, you can then select the archive location(s) that the Case Manager can have access to while reviewing cases in Netmail Search. To do so, highlight the user in the **Case managers** list.
7. Under **Assigned locations**, place a check mark next to the archive storage location(s) that you want the selected Case Manager to have access to. For information about storage locations, see [Specifying Locations](#).
8. Now that you have selected a Case Manager and assigned an archive storage location(s), you must now select which users within the selected storage location(s) the Case Manager may place on legal hold. With the selected Case Manager still highlighted in the **Case Managers** list, select one of the following options under **Assigned users**:
  - **All users from the assigned locations:** Choose this option if you want the Case Manager to have access to all users within the selected archive storage location(s).
  - **Select users or groups:** Choose this option if you want the Case Manager to have access only to certain individual users or groups of users within the selected archive storage location(s).

After choosing this option, click **Add**, and a **User Selection** dialog box opens. Select either **List users from assigned locations** if you want to select individual users or **List all groups from user cache** if you want to select entire distribution lists, and then click **List**. The users or distribution lists appear in the left-hand panel. Highlight the user(s) or distribution list(s) you want the selected Case Manager to be able to place on legal hold, and **Add** them to the right-hand panel. When you are done, click **OK**. Your selected user(s) or distribution list(s) now appear under **Assigned users**.



**Important:** Since users are selected using a standard **User Selection** dialog box, all users, including Auditors and external counsel, must have email addresses on the mail system.

9. Repeat the above steps for each Case Manager you create.
10. If you need to delete any existing **Case managers** or **Assigned users**, simply highlight the users and click **Remove**.
11. When you have finished making all of your selections, click **Save** at the bottom of the screen to save your changes.

## What Users See in Netmail Search

Upon logging in to Netmail Search, both Case Managers and Auditors are prompted to proceed as either a Normal User, or as a Case Manager or Auditor – whatever the case may be.

**Please choose a role for the new session**

Role

Case Manager

Normal User

Case Manager Login

**Please choose a role for the new session**

Role

Auditor

Normal User

Auditor Login

**Note:** It is also possible for a user to be both a Case Manager and Auditor, although not for the same case. In such a situation, the user would have the choice to log in as a Case Manager or Auditor (or Normal User, if applicable).

## Case Managers

When Case Managers log in to Netmail Search, they are greeted with the Case Management Dashboard, which has two tabs: **Case List** and **Users under Legal Hold**. The **Case List** tab displays a list of all currently existing cases and basic parameters defining each case, such as the case name, owner, description, ID, and legal hold status. The **Users under Legal Hold** tab displays a list of user accounts that have been placed under legal hold.

Owner	Name	Description	Internal ID	Status	Open	Close	Legal Hold	Legal Hold From	Legal Hold To
Administrator@auto2k10.c...	TS_MultiplePrintThousandt...			New	11/03/14		Disabled	Oldest	Newest
Administrator@auto2k10.c...	test			New	10/31/14		Disabled	Oldest	Newest
Administrator@auto2k...	GVautomation			New	10/31/14		Disabled	Oldest	Newest
	all			New			Disabled		
Administrator@auto2k10.c...	power	acorn		Closed	10/31/14	07/22/26	Disabled	Oldest	Newest
	largeuser			New	08/04/14		Disabled	Oldest	Newest
Administrator@auto2k10.c...	GVautomation			New	10/01/14		Disabled	Oldest	Newest
	ExportXML			New			Disabled		
Administrator@auto2k10.c...	test			New	10/27/14		Disabled	Oldest	Newest
Administrator@auto2k10.c...	intern_mike			New			Disabled	Oldest	Newest
	post			New	05/27/14		Disabled	Oldest	Newest
Administrator@auto2k...	test123			Opened	10/03/14		Disabled	Oldest	Newest
	LargeConcurrentExports			New	08/04/14		Disabled		
	TS1694			New	06/25/14		Disabled		
	ok			New	06/02/14		Disabled		
	goose			New	05/27/14		Disabled		
	rif			New	05/27/14		Disabled		
	chars			New	05/27/14		Disabled		

A Case Manager can create Auditors through the **Case List** tab either by creating a new case (in the **New Case** dialog box) or editing an existing case (in the **Edit Case** dialog box). Both the **New Case** and **Edit Case** dialog boxes offer the same criteria and tabs for configuring and editing cases, including the **Audit Access** and **Legal Hold** tabs:

- **Audit Access tab:** Allows the Case Manager to select users and grant them Auditor privileges for the particular case they are creating or editing.

**New Case**

Case Info | Locations & Users | **Audit Access** | Legal Hold | Tags

User ID filter  [List Users](#)

adam@adam.BASE2012.First Organization  
 Admin Admin@Admin.BASE2012.First Organization  
 Administrator@Administrator.BASE2012.First Organization  
 altã surprizã@alta.BASE2012.First Organization  
**Amy S@Amy.BASE2012.First Organization.inc**  
 Archive Dedicated@Archive.BASE2012.First Organization  
 AT101 AUTO01@ati01.BASE2012.First Organization  
 AT102 AUTO02@ati02.BASE2012.First Organization  
 AT103 AUTO03@ati03.BASE2012.First Organization  
 AT104NEW AUTO04@ati04NEW.BASE2012.First Organization  
 AT105 AUTO05@ati05.BASE2012.First Organization  
 AT106 AUTO06@ati06.BASE2012.First Organization  
 AT107 AUTO07@ati07.BASE2012.First Organization  
 AT108 AUTO08@ati08.BASE2012.First Organization  
 AT109 AUTO09@ati09.BASE2012.First Organization  
 AT110 AUTO10@ati10.BASE2012.First Organization  
 AT111 INVISIBLE01@ati11.BASE2012.First Organization  
 Berkley big@Berkley.BASE2012.First Organization  
 Blank After@BlankAfter.BASE2012.First Organization  
 Blank Before XXX@BlankBeforeXXX.BASE2012.First Organization  
 Cher@Tanya.BASE2012.First Organization

**Auditors**  
 Amy S@Amy.BASE2012.First Organization.inc

Add >> | Remove

Autorevoke access starting on this date (inclusively):

Page 1 of 1

New Case | Open Case | Edit Case | Delete Case | Close this window

Create | Cancel

- **Legal Hold tab:** Allows the Case Manager to enable legal hold for a specified date range for the particular case they are creating or editing.

**New Case**

Case Info | Locations & Users | Audit Access | **Legal Hold** | Tags

Enable Legal Hold

From 08/04/14  To 11/04/14

From Oldest  To Newest

Date [From] is in the context of the data already archived in your system. When accounts are on Legal Hold from a specific date, the Netmail Archive system will make sure that no data will be deleted for these account starting from the given date. If you choose [From Oldest], then no archived data for these account can be deleted by the Netmail Archive system since the first date it was archived.

Date [To] is both in the context of your archive and your live mail system. First, it represents the end date of the time period for which Netmail Archive will preserve data of the related accounts under Legal Hold. Secondly, it also mean that Netmail Archive will make sure that any new email for the given accounts are archived on a daily basis until that date is reached. If you choose [To Newest], then the Netmail Archive will keep placing any new mail from these account under Legal Hold until the case is closed.

**Note:** For more information about Case Managers and Legal Hold within Netmail Search, refer to the [Netmail Search User Guide for Case Managers](#).

## Auditors

When Auditors log in to Netmail Search, they are also greeted with the Case Management Dashboard, although there are no tabs. They have the ability to open and edit cases (to which they have been given access).

Case Management CSV Refresh

Owner	Name	Description	Internal ID	Status	Open	Close	Legal Hold	Legal Hold From	Legal Hold To
Legal1@auto2k10.com	Legal1 - Case2			Opened	10/31/14		Enabled	Oldest	Newest
Legal2@auto2k10.com	Legal2 - Case1			New			Enabled	Oldest	Newest

**Note:** For more information about Auditors and Legal Hold within Netmail Search, refer to the *Netmail Search User Guide for Auditors*.